

DGC 7880X

30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.



- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results – DualSteam technology
- Crispy on the outside, succulent on the inside – Combi-Steam
- Miele@home – network-enabled WiFi appliance + Miele Mix & Match
- Easy cleaning – PerfectClean stainless steel oven compartment

EAN: 4002516487302 / Material number: 11877040 / Old Material Number: 23788073USA

| Construction type and design                                     |               |
|------------------------------------------------------------------|---------------|
| Combi-Steam Ovens                                                | •             |
| Combination steam oven                                           | •             |
| ArtLine                                                          | •             |
| Handleless                                                       | •             |
| Appliance color                                                  | Graphitgrau   |
| Appliance color                                                  | Graphite grey |
| Convenience features                                             |               |
| Rapid PreHeat                                                    | •             |
| Preheating                                                       | •             |
| External steam generation                                        | •             |
| Climate sensor                                                   | •             |
| Individual humidity settings in combination cooking              | •             |
| Menu cooking without transfer of taste                           | •             |
| Miele Mix & Match                                                | •             |
| Roast probe                                                      |               |
| Roast probe                                                      | With cable    |
| Automatic programs with individual setting of the cooking result | •             |
| Keep-warm function                                               | •             |
| Crisp function                                                   | •             |
| Operating modes                                                  |               |
| Defrost                                                          | •             |
| MasterChef automatic programs                                    | •             |
| Country-specific automatic programs                              | •             |
| Combi cooking                                                    | •             |
| Combi Steam with Convection Bake                                 | •             |
| Combi Steam with Surround                                        | •             |
| Combi Steam with Maxi Broil                                      | •             |
| Steam cooking                                                    | •             |
| Sous-vide                                                        | •             |
| Reheating                                                        | •             |
| Roast with moisture                                              | •             |
| Broiling operating modes                                         | •             |
| Maxi Broil                                                       | •             |
| Broil                                                            | •             |
| Convection Bake                                                  | •             |
| Convection Roast                                                 | •             |
| Intensive Bake                                                   | •             |
| Cake plus                                                        | •             |
| Surround                                                         | •             |
| Browning                                                         | •             |
| Bake                                                             | •             |
| Convection Roast                                                 | •             |
| Warm-up cookware                                                 | •             |
| Special modes                                                    | •             |
| User convenience                                                 |               |
| Networking with Miele@home                                       | •             |
| Display                                                          | M Touch       |
| Clear text on control panel                                      | •             |

DGC 7880X

30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.



EAN: 4002516487302 / Material number: 11877040 / Old Material Number: 23788073USA

|                                                                                  |     |
|----------------------------------------------------------------------------------|-----|
| MotionReact: Light comes on when movement is detected                            | •   |
| MotionReact: Display comes on when movement is detected                          | •   |
| MotionReact: Audible signal to acknowledge when movement is detected             | •   |
| MotionReact: Detection of cabinet fronts                                         | •   |
| SoftOpen                                                                         | •   |
| Touch2Open                                                                       | •   |
| MultiLingua                                                                      | •   |
| MyMiele                                                                          | •   |
| Show me how                                                                      | •   |
| Motorized lift-up control panel with SoftClose                                   | •   |
| Quantity-independent cooking                                                     | •   |
| Steam cooking on up to 4 levels at the same time                                 | •   |
| Automatic menu cooking                                                           | •   |
| Steam reduction before end of programme                                          | •   |
| Polyphonic acoustic signals                                                      | •   |
| Timers                                                                           | •   |
| Time of day display                                                              | •   |
| Date display                                                                     | •   |
| Minute minder                                                                    | •   |
| Programming start of cooking duration                                            | •   |
| Programming end of cooking duration                                              | •   |
| Programmable cooking time                                                        | •   |
| Actual temperature display                                                       | •   |
| Desired temperature display                                                      | •   |
| Audible signal when desired temperature is reached                               | •   |
| Default temperature                                                              | •   |
| Favorites                                                                        | •   |
| Individual settings                                                              | •   |
| MotionReact DG                                                                   | •   |
| <b>Cleaning convenience</b>                                                      |     |
| Stainless-steel cavity with linen surface structure                              | •   |
| Foldable broil heater element                                                    | •   |
| External steam generator                                                         | •   |
| Maintenance programs                                                             | •   |
| Soak program                                                                     | •   |
| Rinse program                                                                    | •   |
| Cavity drying program                                                            | •   |
| Quick-release side racks                                                         | •   |
| Removable side racks                                                             | •   |
| Automatic descaling                                                              | •   |
| Descaling                                                                        | •   |
| CleanGlass door                                                                  | •   |
| <b>Steam technology and Water supply</b>                                         |     |
| MultiSteam                                                                       | •   |
| Fresh water container volume in l                                                | 1.4 |
| Fresh-water container tank behind motorized lift-up control panel with SoftClose | •   |
| Condensate container behind motorized lift-up control panel with SoftClose       | •   |

DGC 7880X

30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.

EAN: 4002516487302 / Material number: 11877040 / Old Material Number: 23788073USA

|                                               |                                               |
|-----------------------------------------------|-----------------------------------------------|
| Drain filter                                  | •                                             |
| <b>Safety</b>                                 |                                               |
| Appliance cooling system and cool touch front | •                                             |
| Safety cut-out                                | •                                             |
| System lock                                   | •                                             |
| Vapor cooling system                          | •                                             |
| Sensor lock                                   | •                                             |
| <b>Technical data</b>                         |                                               |
| No. of rack levels                            | 4                                             |
| Appliance dimensions (W x H x D) in in. (mm)  | 29 7/8 (757) x 24 1/2 (620)<br>x 22 5/8 (573) |
| Labeling of rack levels                       | •                                             |
| Door hinge side                               | Bottom                                        |
| Door hinge side                               | unten                                         |
| Oven interior lighting                        | BrilliantLight                                |
| Oven mode temperatures in °F (°C)             | 85-450 °F (30-230 °C)                         |
| Niche width min. in inches (mm)               | 28 5/8 (724)                                  |
| Niche width min. in inches (mm)               | 724                                           |
| Niche width max. in inches (mm)               | 28 5/8 (724)                                  |
| Niche width max. in inches (mm)               | 724                                           |
| Niche height min. in inches (mm)              | 24 1/8 (610)                                  |
| Niche height min. in inches (mm)              | 610                                           |
| Niche height max. in inches (mm)              | 24 1/4 (615)                                  |
| Niche height max. in inches (mm)              | 615                                           |
| Niche depth in in. (mm)                       | 610                                           |
| Niche depth in in. (mm)                       | 24 1/8 (610)                                  |
| Appliance width in in. (mm)                   | 29 7/8 (757)                                  |
| Appliance width in in. (mm)                   | 757                                           |
| Appliance width in in. (mm)                   | 29 7/8 (757)                                  |
| Appliance height in in. (mm)                  | 24 1/2 (620)                                  |
| Appliance height in in. (mm)                  | 619.5                                         |
| Appliance height in in. (mm)                  | 24 1/2 (620)                                  |
| Appliance depth in in. (mm)                   | 22 5/8 (573)                                  |
| Appliance depth in in. (mm)                   | 573                                           |
| Appliance depth in in. (mm)                   | 22 5/8 (573)                                  |
| Dimensions (W x H x D) in mm                  |                                               |
| Weight in lbs. (kg)                           | 110 (49.7)                                    |
| Weight in lbs. (kg)                           | 109.57 (49.7)                                 |
| Weight in lbs. (kg)                           | 110 (49.7)                                    |
| Total connected load in kW                    | 2.80-3.70                                     |
| Power Rating in V                             | 0                                             |
| Usable voltage range in V                     | 240/208                                       |
| Frequency in Hz                               | 60                                            |
| Number of phases                              | 2                                             |
| Fuse rating in A                              | 20                                            |
| Connection wire with plug                     | •                                             |
| Length of power cord in in. (m)               | 2                                             |
| Replacing bulbs                               | Customer Service                              |
| <b>Accessories supplied</b>                   |                                               |
| PerfectClean universal baking tray            | 1                                             |
| PerfectClean baking and roasting rack         | 1                                             |

DGC 7880X  
30" Handleless Combi-Steam Oven XXL  
for steam cooking, baking, roasting with roast probe + menu cooking.




EAN: 4002516487302 / Material number: 11877040 / Old Material Number: 23788073USA

|                                                       |   |
|-------------------------------------------------------|---|
| FlexiClip telescopic runners with PerfectClean (pair) | 1 |
| Removable side racks with PerfectClean (pair)         | 1 |
| Perforated stainless-steel cooking container          | 2 |
| Unperforated stainless-steel cooking containers       | 1 |
| Descaling tablets                                     | 2 |
| Available display languages                           |   |

Available display languages via MultiLingua

bahasa malaysia, dansk,  
deutsch, english, español,  
français, hrvatski, italiano,  
magyar, nederlands,  
norsk, polski, português,  
русский, română,  
slovenčina, slovenščina,  
srpski, suomi, svenska,  
türkçe, українська, čeština,  
ελληνικά, , , , ,  
,

for steam cooking, baking, roasting with roast probe + menu cooking.




A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection

## DGC 7880X


### 30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.




DGC7x8x(X), side view, 30 Zoll, Flush inset, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x(X), Einbau, 30 Zoll, Flush inset, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x(X), Einbau, 30 Zoll, Flush inset, wide front, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x(X)(+EBA6808), Installation, 30 Zoll, Flush inset, XXL

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation. – Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance. E = Electric connection



DGC7x8x(X)(+EBA7848), Installation, 30 Zoll, Flush inset, wide front, XXL

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation. – Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance. E = Electric connection




DGC7x8x(X)(+EBA7868), side view, 30 Zoll, Flush inset, combi, XXL, 650S

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel

## DGC 7880X


### 30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.




DGC7x8x, H2x80BP, H7x8xBP(X), side view, 30 Zoll, Flush inset, combi, XXL 650

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x, ESW7x70, EVS7670, side view, 30 Zoll, Flush inset, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x, ESW7x80, side view, 30 Zoll, Flush inset, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC786x+EBA7868, DGC7x8x, ESW7x70, EVS7670, side view, 30 Zoll, Flush inset, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x(X), H2x80BP, H7x8xBP, ESW7x80, side view, 30 Zoll, Flush inset, combi, XXL, 650, ESW30

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x, ESW7x70, EVS7670 Einbau, 30 Zoll, Flush inset, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x, ESW7x70, EVS7670, Einbau, 30 Zoll, Flush inset, combi, wide front, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel



DGC7x8x, H7x6xBP+EBA7848, side view, 30 Zoll, Proud, combi, XXL, 650S

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel




DGC7x8x, H2x80BP, H7x8xBP(X), side view, 30 Zoll, Proud, combi, XXL 650

7/8" – 22" mm – Glass, 15/16" – 23.3\*\* mm – Stainless steel

## DGC 7880X


### 30" Handleless Combi-Steam Oven XXL

for steam cooking, baking, roasting with roast probe + menu cooking.




DGC7x8x, ESW7x70, EVS7670, side view, 30 Zoll, Proud, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3" mm – Stainless steel




DGC7x8x, ESW7x80, side view, 30 Zoll, Proud, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3" mm – Stainless steel




DGC786x+EBA7868, DGC7x8x, ESW7x70, EVS7670, side view, 30 Zoll, Proud, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3" mm – Stainless steel




DGC7x8x(X), H2x80BP, H7x8xBP(X), ESW7x80, side view, 30 Zoll, Proud, combi, XXL, 650

7/8" – 22" mm – Glass, 15/16" – 23.3" mm – Stainless steel



DGC7x8x, ESW7x70, EVS7670, Einbau, 30 Zoll, Proud, combi, XXL

7/8" – 22" mm – Glass, 15/16" – 23.3" mm – Stainless steel



DGX7x8x, ESW7x70, EVS7670, Einbau, 30 Zoll, Proud, combi, wide front, XXL