

# Freestanding Range

FPGF3077QF



## Signature Features



PowerPlus® Convection Powerful performance delivers consistent results. Evenly cooked dishes, every time, with PowerPlus® Convection bake and roast.



PowerPlus® Preheat With PowerPlus® Preheat, your oven is ready in a few minutes for a powerful start to every delicious meal.



PowerPlus® Temperature Probe Ensures great results the first time. Set and monitor dish temperature with the PowerPlus® Temperature



Smudge-Proof™ Stainless Steel Resists fingerprints and cleans easily.

# 30" Gas

#### **Product Dimensions**

Height (Max.)	47-3/4"
Width	29-7/8"
Depth (Including Handle)	28-1/2"

#### More Easy-To-Use Features

#### **Built with American Pride**

Designed, engineered and assembled in the U.S.A.

#### PowerPlus® Burner

Quickly boil, saute, and sear foods at high heat with the PowerPlus® 18,000 BTU burner.

#### PrecisionPro Controls™

Prepare a range of dishes with precision, whether you're simmering, sautéing, searing or boiling.

#### **Durable, Continuous Grates**

Cook a variety of dishes at the same time with ease. Our durable, continuous grates allow you to slide a variety of heavy pots and pans across burners. Plus, they're dishwasher-safe.

#### **Dual Timers**

Set a timer for both your cooktop and oven when cooking dishes simultaneously.

#### 2-Hour Self-Clean

A powerful, quick clean for your oven in just 2 hours with PowerPlus® Self-Clean Cycle.

## Storage Drawer

Optimize your kitchen space with additional storage space for pots and pans.

Sabbath Mode (Star-K® Certified)

# Available in:




Burners	BTU
Right Front	18,000
Right Rear	5,000
Left Front	9,500
Left Rear	12,000
Center Oval	10,000

FPGF3077QF **30" Gas** 

# **FRIGIDAIRE**

r		_	0	_	_	-	0	$\sim$	K I	Α.	
- 1	- 1	ĸ	$\circ$	_	_			$^{\circ}$	IN	A	L .

Features	
Oven Control/Timing System	PrecisionPro Controls™
Surface Type	Black Porcelain
Sealed Gas Burners	Yes
Grates	Continuous Cast Iron w/Black Matte Finish
Window	Extra-Large with Black-Tint Finish
Exterior Door Finish	Smudge-Proof™ Stainless Steel
Handle Design	Stainless Steel
Exterior Finish (Side Panels)	Stainless Steel
Convection System	PowerPlus* Single-Fan Convection
Oven Cleaning System	Self Clean
Drawer Functionality	Storage
Oven Controls	
Bake/Broil	Yes/Variable (400 - 500 °F)
Effortless™ Convection Conversion	Yes
Convection Bake/Broil/Roast	Yes/No/Yes
PowerPlus* Convection	Yes
PowerPlus* Preheat	Yes
My Favorite	
Slow Cook	
PowerPlus® Temperature Probe	Yes
Keep Warm	Yes
Add-a-Minute	ies
Delay Start	
	2.4.6.11
Self Clean	2, 4, 6 Hours
Rapid Clean Option	Yes
Delay Clean	2, 3, 4 Hours
Kitchen Timer/Timed Cook Option	Yes/Yes
Auto Oven Shut-Off Oven Lock-Out	Yes
Lower Drawer Control	ies
Cooktop Features	
Right Front Burner (BTU)	18,000
Right Rear Burner (BTU)	5,000
Left Front Burner (BTU)	9,500
Left Rear Burner (BTU)	12,000
Center Oval (BTU)	10,000
Oven Features	
Capacity (Cu.Ft.)	5.6
Oven Light	1
Hidden Bake Element	Yes
Rack Configuration	2 Heavy Duty Handle, 1 Offset
Baking System	Even Baking Technology
Broiling System	Vari-Broil™
Bake Burner / Broil Burner (BTU)	18,000/13,500
Drawer Racks	
Optional Accessories	
Griddle/Grill (2-sided)	PN # 316432202
LP Gas Conversion Kit	PN # GRLP4
Certifications	
Sabbath Mode (Star-K* Cert.)	Yes
Specifications	
Oven Interior (H x W x D)	20-5/8" x 24-3/8" x 19-1/4
Power Supply Connection Location	Center Bottom Rear
	Center Bottom Rear
Gas Supply Connection Location	Center Bottom Rear
Gas Supply Connection Location Voltage Rating	120V/60Hz/15A



NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A-Height (Max.)	47-3/4"
B-Width	29-7/8"
C-Depth (Including Handle)	28-1/2"
Depth with Door Open 90°	46-5/8"

Cabinet Cutout Dimensions	
Height (Standard)	36"
Width (Min.)	30"
Depth (Min.)	25"

Accessories information available on the web at **frigidaire.com** 

#### FRIGIDAIRE.



# Freestanding Range

FPEF3077QF



#### Signature Features



PowerPlus® Convection Powerful performance delivers consistent results. Evenly cooked dishes, every time, with PowerPlus® Convection bake and roast.



PowerPlus® Preheat With PowerPlus® Preheat, your oven is ready in a few minutes for a powerful start to every delicious meal.



PowerPlus® Temperature Probe
Ensures great results the first time.
Set and monitor dish temperature
with the PowerPlus® Temperature
Probe



Smudge-Proof™ Stainless Steel Resists fingerprints and cleans easily.

# 30" Electric

#### **Product Dimensions**

Height (Max.)	47-3/4"
Width	29-7/8"
Depth (Including Handle)	28-1/2"

#### More Easy-To-Use Features

#### **Built with American Pride**

Designed, engineered and assembled in the U.S.A.

#### Keep Warm Zone

Consistently keep dishes warm until the rest are ready for a delicious meal, every day

#### SpacePro™ Bridge Element

Cook a variety of dishes evenly with a flexible element that lets you combine two elements into one.

#### PrecisionPro Controls™

Prepare a range of dishes with precision, whether you're simmering, sautéing, searing or boiling.

#### **Dual Timers**

Set a timer for both your cooktop and oven when cooking dishes simultaneously.

## 2-Hour Self-Clean

A powerful, quick clean for your oven in just 2 hours with PowerPlus® Self-Clean Cycle.

# Storage Drawer

Optimize your kitchen space with additional storage space for pots and pans.

Sabbath Mode (Star-K® Certified)

# Available in:




Stainles

Elements	Size	Watts
Right Front	9"/12" Expandable	1,800/3,000
Right Rear	6"	1,200
Left Front	7"	1,800
Left Rear	7"	1,800
Left Bridge	SpacePro™ Bridge	800
Center	Keep Warm Zone	100

# **FRIGID**AIRE

# PROFESSIONAL

Features	
Oven Control/Timing System	PrecisionPro Controls™
Surface Type	Black Porcelain Glass
Window	Extra-Large with Black-Tint Finish
Exterior Door Finish	Smudge-Proof™ Stainless Steel
Handle Design	Stainless Steel
Exterior Finish (Side Panels)	Black
Convection System	PowerPlus* Single-Fan Convection
Oven Cleaning System	Self Clean
Drawer Functionality	Storage
Oven Controls	
Bake/Broil	Yes/Variable (400 - 500 °F)
Effortless™ Convection Conversion	Yes
Convection Bake/Broil/Roast	Yes/Yes/Yes
PowerPlus* Convection	Yes
PowerPlus® Preheat	Yes
My Favorite	
Slow Cook	
PowerPlus® Temperature Probe	Yes
Keep Warm	Yes
Add-a-Minute	
Delay Start	
Self Clean	Yes
Rapid Clean Option	Yes
Delay Clean	2, 3, 4 Hours
Kitchen Timer/Timed Cook Option	Yes/Yes
Auto Oven Shut-Off	Yes
Oven Lock-Out	Yes
Lower Drawer Control	
Cooktop Features	
Right Front Element (Watts)	SpaceWise* Expandable 9"/12" - 1,800/3,000
Right Rear Element (Watts)	6" - 1,200
Left Front Element (Watts)	7" - 1,800
Left Rear Element (Watts)	7" - 1,800
Bridge Element (Watts)	SpacePro™ Bridge -800
Center Element (Watts)	Keep Warm Zone -100
Hot Surface/Element On Indicator Light	Yes/Yes
Oven Features	
Capacity (Cu.Ft.)	6.1
Oven Light	1
Hidden Bake Element	Yes
Rack Configuration	2 Heavy-Duty, 1 Offset
Baking System	Even Baking Technology
Broiling System	Vari-Broil™ Hi/Low
Bake Element / Broil Element (Watts)	3,500/3,900
Drawer Racks	
Certifications	
Sabbath Mode (Star-K* Cert.)	Yes
Specifications	
Specifications Over Interior (II v W v D)	00 1/411 04 7/011 10 1/1
Oven Interior (H x W x D)	22-1/4" x 24-3/8" x 19-1/2
Oven Interior (H x W x D)  Power Supply Connection Location	Middle Bottom Rear
Oven Interior (H x W x D)  Power Supply Connection Location  Voltage Rating  Connected Load (kW Rating)	Middle Bottom Rear 240V/208V/60Hz
Oven Interior (H x W x D)  Power Supply Connection Location  Voltage Rating	Middle Bottom Rear



NOTE: For planning purposes only. Always consult local and national electric codes.

Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



47-3/4"
29-7/8"
28-1/2"
48-3/8"

Cabinet Cutout Dimensions	
Height (Standard)	36"
Width (Min.)	30"
Depth (Min.)	25"

Accessories information available on the web at **frigidaire.com**