

## KWT 2662 SFS

### MasterCool Wine Conditioning Unit

For high-end design and technology on a large scale.




- Push2open for convenient door-opening assistance
- Serve and enjoy to perfection – incl. SommelierSet
- Various wines at the perfect temperature – 3 temperature zones
- Flexible storage of large wine bottles thanks to FlexiFrame
- Light floods the interior thanks to LED elements – BrilliantLight

EAN: 4002516321972 / material number: 11503670

| Appliance category                                        |                            |
|-----------------------------------------------------------|----------------------------|
| Wine storage unit                                         | •                          |
| Construction type                                         |                            |
| Built-in                                                  | •                          |
| Built-in integrated                                       | •                          |
| Door hinge side                                           | right                      |
| Convertible hinging                                       | •                          |
| Can be installed side-by-side                             | •                          |
| Design                                                    |                            |
| Front color                                               | Stainless steel/CleanSteel |
| Lighting                                                  | BrilliantLight             |
| Control panel                                             |                            |
| DynaCool                                                  | •                          |
| SoftClose door closing damper                             | •                          |
| Push2open                                                 | •                          |
| MaxLoad hinge                                             | •                          |
| Flexible wooden shelves FlexiFrame                        | 9                          |
| Material of wooden racks                                  | Beechwood                  |
| SommelierSet                                              | •                          |
| NoteBoard                                                 | •                          |
| Control                                                   |                            |
| No. of temperature zones                                  | 3                          |
| Sabbath mode                                              | •                          |
| Appliance networking                                      |                            |
| MobileControl                                             | •                          |
| Safety                                                    |                            |
| Lock function                                             | •                          |
| Acoustic door alarm                                       | •                          |
| Optical door alarm                                        | •                          |
| Technical data                                            |                            |
| Appliance width in in.(mm)                                | 23 3/4 (603)               |
| Appliance height in in.(mm)                               | 83 3/4 (2,127)             |
| Appliance depth in in.(mm)                                | 24 1/8 (610)               |
| Weight in lbs.(kg)                                        | 349 (158)                  |
| Wine conditioning zone volume in l                        | 379                        |
| Available space for the number of 0.75 l Bordeaux bottles | 77                         |
| Current consumption in milliamper (mA)                    | 4,000                      |
| Voltage in V                                              | 120                        |
| Fuse rating in A                                          | 10                         |
| Wire length in ft (m)                                     | 9 (3.0)                    |


## KWT 2662 SFS

MasterCool Wine Conditioning Unit  
For high-end design and technology on a large scale.



Opening angel 90°/115°, right side stop, MasterCool  
(Sketch) \*footnote

A) Appliance door width  
F 2461 Vi: 525 mm (20 2/3 inch);  
F 2462 Vi: 525 mm (20 2/3 inch);  
K 2601 Vi, K 2601 SF, F 2661 Vi, KWT 2601 Vi, KWT 2601 SF, KWT 2661 VIS, KWT 2661 SFS: 677 mm (26 2/3 inch);  
K 2602 Vi, K 2602 SF, F 2662 Vi, KWT 2602 Vi, KWT 2602 SF, KWT 2662 VIS, KWT 2662 SFS: 677 mm (26 2/3 inch);  
K 2801 Vi, K 2801 SF, F 2801 Vi, KF 2801 Vi, KF 2801 SF: 829 mm (32 2/3 inch);  
K 2802 Vi, K 2802 SF, F 2802 Vi, KF 2802 Vi, KF 2802 SF: 829 mm (32 2/3 inch);  
K 2901 Vi, K 2901 SF, F 2901 Vi, KF 2901 Vi, KF 2901 SF: 982 mm (38 2/3 inch);  
K 2902 Vi, K 2902 SF, F 2902 Vi, KF 2902 Vi, KF 2902 SF: 982 mm (38 2/3 inch);  
B) Furniture front (max. 38 mm) (1 1/2 inch)  
C) Door handle  
D) Distance door to wall (without furniture front and door handle):  
F 2461 Vi: 237 mm (9 1/3 inch);  
F 2462 Vi: 237 mm (9 1/3 inch);  
K 2601 Vi, K 2601 SF, F 2661 Vi, KWT 2601 Vi, KWT 2601 SF, KWT 2661 VIS, KWT 2661 SFS: 296 mm (11 2/3 inch);  
K 2602 Vi, K 2602 SF, F 2662 Vi, KWT 2602 Vi, KWT 2602 SF, KWT 2662 VIS, KWT 2662 SFS: 296 mm (11 2/3 inch);  
K 2801 Vi, K 2801 SF, F 2801 Vi, KF 2801 Vi, KF 2801 SF: 363 mm (14 1/3 inch);  
K 2802 Vi, K 2802 SF, F 2802 Vi, KF 2802 Vi, KF 2802 SF: 363 mm (14 1/3 inch);  
K 2901 Vi, K 2901 SF, F 2901 Vi, KF 2901 Vi, KF 2901 SF: 428 mm (16 7/8 inch);  
K 2902 Vi, K 2902 SF, F 2902 Vi, KF 2902 Vi, KF 2902 SF: 428 mm (16 7/8 inch)  
E) ONLY valid for SF versions: A + 25 mm (1 inch)




Side-by-side, MasterCool, without partition wall, with  
heating mat (Sketch) (with footnote)

1) Heating mat KSK 2001 (EU, AUS, CN) or KSK 2002 (US, CA, MX, BR)


## KWT 2662 SFS

### MasterCool Wine Conditioning Unit


For high-end design and technology on a large scale.




KWT2602SF, KWT2612SF, KWT2662SFS, KWT2601SF, KWT2611SF, KWT2661SFS, installation, MasterCool (US, CA)



MasterCool, top view, doorway, installation drawings



Sideview, MasterCool, Sketch




Side-by-Side, MasterCool, footnote, installation drawings

1. KSK 2001/2002
2. Device A
3. Device B
- A = niche device A
- B = niche device B


## KWT 2662 SFS

MasterCool Wine Conditioning Unit  
For high-end design and technology on a large scale.



Installation, MasterCool, \*footnote, installation drawings

1. View from the front
2. Mains connection cable, L = 3000 mm (118 inch)
3. No water/ELT connections permitted in this area



KWT2672VIS, KWT2662VIS, KWT2671 Vis, MasterCool, inner space, modeling, installation drawings