

# Dual Fuel Range, 30", 4 Burners, Self-cleaning, LPG

Series 9 | Professional

Stainless Steel with Black Glass | LPG




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 19,000 BTU, for seriously fast boiling
- 4 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

## DIMENSIONS

|        |                                                                   |
|--------|-------------------------------------------------------------------|
| Height | 35 <sup>3</sup> / <sub>4</sub> - 36 <sup>3</sup> / <sub>4</sub> " |
| Width  | 29 <sup>7</sup> / <sub>8</sub> "                                  |
| Depth  | 29 <sup>1</sup> / <sub>8</sub> "                                  |



## FEATURES & BENEFITS

### Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

### Generous capacity

Featuring a generous total capacity of 4 cu ft, with enough room

to fit a 26 lb turkey, or to cook several dishes at once.

### Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### Cooktop power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

### Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

### Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

## SPECIFICATIONS

### Accessories

|                      |        |
|----------------------|--------|
| Square handle option | AH-R30 |
|----------------------|--------|

### Capacity

|                |        |
|----------------|--------|
| Total capacity | 4cu ft |
|----------------|--------|

### Cleaning

|                          |   |
|--------------------------|---|
| Dishwasher proof trivets | • |
| Pyrolytic self-clean     | • |

|                         |   |  |
|-------------------------|---|--|
| Controls                |   |  |
| High resolution display | • |  |
| Metal illuminated dials | • |  |
| Sabbath mode            | • |  |
| Wifi connectivity       | • |  |

|                       |                         |  |
|-----------------------|-------------------------|--|
| Gas requirements      |                         |  |
| Fitting and pipe      | ½ NPT, min. 5/8" Ø flex |  |
| Supply Pressure (LPG) | 11" to 14" W.C          |  |

|                               |    |  |
|-------------------------------|----|--|
| Main oven features            |    |  |
| Bake                          | •  |  |
| Broil pan                     | •  |  |
| Clean                         | •  |  |
| Convection Bake               | •  |  |
| Convection Broil              | •  |  |
| Main oven- Self cleaning      | •  |  |
| Main oven- True convection    | •  |  |
| Number of main oven functions | 15 |  |

|                           |   |  |
|---------------------------|---|--|
| Oven features             |   |  |
| Concealed element         | • |  |
| Electronic oven control   | • |  |
| Full extension telescopic | 2 |  |
| Internal light            | • |  |
| Pyrolytic self-clean      | • |  |

|                      |   |  |
|----------------------|---|--|
| Oven functions       |   |  |
| Pyrolytic self-clean | • |  |

|                            |       |  |
|----------------------------|-------|--|
| Oven performance           |       |  |
| Main oven- Bake            | 3500W |  |
| Main oven- Broil           | 4000W |  |
| Main oven- True convection | 2500W |  |

|                    |            |  |
|--------------------|------------|--|
| Power requirements |            |  |
| Electric circuit   | 4 wire     |  |
| Rated current      | 30A        |  |
| Supply frequency   | 60Hz       |  |
| Supply voltage     | 120 - 240V |  |

|                              |                   |  |
|------------------------------|-------------------|--|
| Product dimensions           |                   |  |
| Depth                        | 29 1/8 "          |  |
| Depth (Excluding handles)    | 29 1/8 "          |  |
| Height                       | 35 3/4 - 36 3/4 " |  |
| Height (excluding vent trim) | 35 3/4 - 36 3/4 " |  |
| Width                        | 29 7/8 "          |  |

|                           |                |  |
|---------------------------|----------------|--|
| Rangetop features         |                |  |
| Sealed Dual Flow Burners™ | 4              |  |
| Simmer on all burners     | 140°F          |  |
| Vent trim included        | Flat vent trim |  |

|                      |          |  |
|----------------------|----------|--|
| Rangetop Performance |          |  |
| Max burner power     | 19000BTU |  |
| Power back left      | 13000BTU |  |
| Power back right     | 13000BTU |  |
| Power front left     | 19000BTU |  |
| Power front right    | 15000BTU |  |

|                     |          |
|---------------------|----------|
| Total cooktop power | 60000BTU |
|---------------------|----------|

|                           |   |
|---------------------------|---|
| Safety                    |   |
| Full extension telescopic | 2 |

|                 |                               |
|-----------------|-------------------------------|
| Warranty        |                               |
| Parts and labor | Limited 2 Years Parts & Labor |
| SKU             |                               |
| 81901           |                               |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.

---

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)



User Guide



Service & Warranty Booklet



Installation Guide



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

**T** 1300 650 590 **W** [www.fisherpaykel.com](http://www.fisherpaykel.com)