



# All Refrigerator

FPRU19F8RF

18.6 Cu. Ft.



Shown with companion, All-Freezer model FPFU19F8RF and optional coordinated Dual 75" Collar Trim Kit (TRIMKITEZ2).

## Signature Features



### PureAir® Filtration System

Fresh air offers great taste. PureAir® Filtration removes up to 7 times more odor than baking soda to keep ingredients tasting fresh by removing odor particles with fast-acting, highly absorbent carbon technology.<sup>1</sup>




### SpacePro™ Shelving System

Offers quick access to fresh ingredients with organizational solutions designed for space optimization including SpacePro™ Door Bins, SpacePro™ Crisper Bins and SpacePro™ Full-Width Drawer.



**Smudge-Proof™ Stainless Steel**  
Resists fingerprints and cleans easily.



### Built with American Pride

Appliances that are high-performing, more accessible, and more innovative than ever — designed, built, and engineered in the U.S.A.

## Product Dimensions

|                          |         |
|--------------------------|---------|
| Height (Including Hinge) | 70-5/8" |
| Width                    | 32"     |
| Depth (Including Door)   | 26-1/2" |

## More Easy-To-Use Features

### Automatic Alerts

Alerts you if the door is left open, if the temperature rises or if the power goes out so your food stays at its optimal temperature.

### SpacePro™ Crisper Bins

Keep a variety of foods fresh and easily accessible with our SpacePro™ Crisper Bins.

### SpacePro™ Full-Width Drawer

Fits a variety of fresh foods for quick access.

### SpacePro™ Shelving

Optimize your refrigerator space with adjustable shelving.

### SpacePro™ Door Bins

Access fresh food from our adjustable gallon-size door bins quickly.

### PowerBright™ LED Lighting

Find fresh foods quickly with PowerBright™ LED Lighting.

### PrecisionPro Controls™

Adjust settings at the touch of a button.

Sabbath Mode (Star-K® Certified)

Available in:



Stainless  
(F)

## Optional Trim Kits

### Single 79" Louvered or 75" Collar Trim Kit (TRIMKITEZ1)

Optional trim kit that is designed to provide a built-in look for the All Refrigerator. Install with louver for 79" fit or easy-to-remove louver for a 75" fitted collar look.

### Dual 79" Louvered or 75" Collar Trim Kit (TRIMKITEZ2)

Optional trim kit that is designed to provide a built-in look for the All Refrigerator and All Freezer when the units are installed next to each other. Install with louver for 79" fit or easy-to-remove louver for a 75" fitted collar look.

<sup>1</sup>Based on a six-hour closed door test of certain common odors in the fresh food compartment of a 21 Cu. Ft. refrigerator.

frigidaire.com

| Features                                       |                               |
|------------------------------------------------|-------------------------------|
| Door Design                                    | Flat                          |
| Door Finish                                    | Smudge-Proof™ Stainless Steel |
| Door Handle Design                             | Stainless Steel               |
| Cabinet Finish                                 | Grey                          |
| Door Hinge Covers                              | Hidden                        |
| Automatic Door Closer                          | Yes                           |
| Leveling System / Leveling Legs                | Yes / 4                       |
| Controls                                       |                               |
| Controls                                       | PrecisionPro™                 |
| Location of Controls                           | Inside Cabinet, on Top        |
| Temperature Display C° / F°                    | Yes                           |
| Lock / Light                                   | Yes / No                      |
| Temp Failure Alerts (Audible & Duration)       | Yes                           |
| Door Ajar Alert (Audible)                      | Yes                           |
| Power Failure Alert (Duration)                 | Yes                           |
| Air Filter / Air Filter Change Indicator Light | PureAir® / Yes                |
| Refrigerator Features                          |                               |
| Refrigerator Shelves                           | 2 SpacePro™ Adjustable Glass  |
| Full-Width Deli Drawer                         | 1 SpacePro™                   |
| Full-Width Bottom Crisper                      | 1 SpacePro™                   |
| Humidity Control                               |                               |
| Crisper Divider Quantity                       | 2 (Per Crisper)               |
| Full-Width Gallon Door Bin                     | 2 Clear SpacePro™             |
| Half-Width Liter Bin                           | 4 Clear SpacePro™             |
| Dairy Bin                                      | 1 Clear                       |
| Tall Bottle Retainers                          |                               |
| Condiment Bin                                  |                               |
| Lighting                                       | 8-Point PowerBright™ LED      |
| Optional Accessories                           |                               |
| Single Louvered Trim Kit                       | PN # TRIMKITEZ1               |
| Dual Louvered Trim Kit                         | PN # TRIMKITEZ2               |
| Certifications                                 |                               |
| Sabbath Mode (Star-K® Certified)               | Yes                           |
| Specifications                                 |                               |
| Total Capacity (Cu. Ft.)                       | 18.6                          |
| Shelf Area (Sq. Ft.)                           | 20.6                          |
| Annual Energy (kWH)                            | 331                           |
| Annual Energy Cost (.12 / kWH)                 | \$40                          |
| Power Supply Connection Location               | Right Bottom Rear             |
| Voltage Rating                                 | 115V / 60Hz / 20A             |
| Connected Load (kW rating) @ 115 Volts¹        | 0.55                          |
| Amps @ 115 Volts                               | 5                             |
| Minimum Circuit Required (Amps)                | 20                            |
| Shipping Weight (Approx.)                      | 245 Lbs.                      |

<sup>1</sup>An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.

### Optional Trim Kits


Kits include top and side trim pieces, louvered grille, reversible kickplate and leveling system to fit 75" or 79" opening height.

#### Single 79" Louvered or 75" Collar Trim Kit PN# TRIMKITEZ1

#### Dual 79" Louvered or 75" Collar Trim Kit PN# TRIMKITEZ2

(Includes hardware to secure side-by-side units together.)

Note: Both kits attach directly to cabinetry through top trim piece or louvered grille to stabilize unit(s).



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com).



| Overall Exterior Dimensions |         |
|-----------------------------|---------|
| A - Height (Incl. Hinge)    | 70-5/8" |
| B - Width                   | 32"     |
| C - Depth (Incl. Door)      | 26-1/2" |
| Depth with Door Open 90°    | 57-1/4" |

| Built-In Cutout Dimensions                    |                           |
|-----------------------------------------------|---------------------------|
| Single Unit without Trim Kit -                |                           |
| A - Height                                    | 72"                       |
| B - Width                                     | 33"                       |
| C - Depth                                     | 25-1/4" min. <sup>1</sup> |
| Single Unit with Trim Kit & Leveling System - |                           |
| A - Height                                    | 75" or 79"                |
| B - Width                                     | 33"                       |
| C - Depth                                     | 25-1/4" min. <sup>1</sup> |

| Built-In Cutout Dimensions                               |                           |
|----------------------------------------------------------|---------------------------|
| Dual Unit <sup>2</sup> without Trim Kit -                |                           |
| A - Height                                               | 72"                       |
| B - Width                                                | 66"                       |
| C - Depth                                                | 25-1/4" min. <sup>1</sup> |
| Dual Unit <sup>2</sup> with Trim Kit & Leveling System - |                           |
| A - Height                                               | 75" or 79"                |
| B - Width                                                | 66"                       |
| C - Depth                                                | 25-1/4" min. <sup>1</sup> |

<sup>1</sup>Minimum depth from face of cabinet side panels and requires recessed electrical outlet.

<sup>2</sup>Side-by-Side

Accessories information available on the web at [frigidaire.com](http://frigidaire.com)

### FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

FPRU19F8R 01/15

© 2015 Electrolux Home Products, Inc.

Specifications subject to change.



# All Freezer

## FPFU19F8RF

18.6 Cu. Ft.



Shown with companion, All-Refrigerator model FPRU19F8RF and optional coordinated Dual 75" Collar Trim Kit (TRIMKITEZ2).

### Signature Features



#### PureAir® Filtration System

Fresh air offers great taste. PureAir® Filtration removes up to 7 times more odor than baking soda to keep ingredients tasting fresh by removing odor particles with fast-acting, highly absorbent carbon technology.<sup>1</sup>




**Smudge-Proof™ Stainless Steel**  
Resists fingerprints and cleans easily.



#### SpacePro™ Shelving System

Always have ingredients on-hand and accessible with organizational solutions designed for space optimization like SpacePro™ Door Bins, SpacePro™ Shelving and SpacePro™ Storage Baskets.



#### Built with American Pride

Appliances that are high-performing, more accessible, and more innovative than ever — designed, built, and engineered in the U.S.A.

### Product Dimensions

|                          |         |
|--------------------------|---------|
| Height (Including Hinge) | 70-5/8" |
| Width                    | 32"     |
| Depth (Including Door)   | 26-1/2" |

### More Easy-To-Use Features

#### Automatic Alerts

Alerts you if the door is left open, if the temperature rises or if the power goes out so your food stays at its optimal temperature.

#### Soft Freeze™ Zone

Keep frozen foods soft and easy to eat with the Soft-Freeze Zone. Great for foods like ice cream, sticks of margarine and bread.

#### PowerBright™ LED Lighting

Find fresh foods quickly with PowerBright™ LED Lighting.

#### SpacePro™ Shelving

Optimize your freezer space with adjustable shelving.

#### SpacePro™ Door Bins

Adjustable door bins for quick access to frozen foods.

#### SpacePro™ Storage Baskets

Two full-width adjustable storage baskets keep things organized, and accessible.

#### PowerPlus® Ice Maker

Unlimited access to ice.

#### PrecisionPro Controls™

Adjust settings at the touch of a button.

Sabbath Mode (Star-K® Certified)

Available in:



Stainless  
(F)

### Optional Trim Kits

#### Single 79" Louvered or 75" Collar Trim Kit (TRIMKITEZ1)

Optional trim kit that is designed to provide a built-in look for the All Freezer. Install with louver for 79" fit or easy-to-remove louver for a 75" fitted collar look.

#### Dual 79" Louvered or 75" Collar Trim Kit (TRIMKITEZ2)

Optional trim kit that is designed to provide a built-in look for the All Refrigerator and All Freezer when the units are installed next to each other. Install with louver for 79" fit or easy-to-remove louver for a 75" fitted collar look.

<sup>1</sup>Based on a six-hour closed door test of certain common odors in the fresh food compartment of a 21 Cu. Ft. refrigerator.

frigidaire.com

| Features                                       |                               |
|------------------------------------------------|-------------------------------|
| Door Design                                    | Flat                          |
| Door Finish                                    | Smudge-Proof™ Stainless Steel |
| Door Handle Design                             | Stainless Steel               |
| Cabinet Finish                                 | Grey                          |
| Door Hinge Covers                              | Hidden                        |
| Automatic Door Closer                          | Yes                           |
| Leveling System/Leveling Legs                  | Yes / 4                       |
| Controls                                       |                               |
| Controls                                       | PrecisionPro™                 |
| Location of Controls                           | Inside Cabinet, on Top        |
| Temperature Display C°/F°                      | Yes                           |
| Lock/Light                                     | Yes / Yes                     |
| Temp Failure Alerts (Audible & Duration)       | Yes                           |
| Door Ajar Alert (Audible)                      | Yes                           |
| Power Failure Alert (Duration)                 | Yes                           |
| Air Filter / Air Filter Change Indicator Light | PureAir® / Yes                |
| Freezer Features                               |                               |
| Refrigerator Shelves                           | 2 SpacePro™ Adjustable Glass  |
| PowerPlus® Ice Maker                           | Yes                           |
| Ice Bin                                        | Yes                           |
| Full-Width Mid-Level Basket                    | 1 Plastic SpacePro™           |
| Full-Width Bottom Basket                       | 1 Plastic SpacePro™           |
| Full-Width Gallon Door Bin                     | 1 Clear SpacePro™             |
| Half-Width Liter Bin                           | 5 Clear SpacePro™             |
| Tilt-Out Wire Shelf                            |                               |
| Soft Freeze™ Zone                              | Yes                           |
| Lighting                                       | 8-Point PowerBright™ LED      |
| Optional Accessories                           |                               |
| Single Louvered Trim Kit                       | PN # TRIMKITEZ1               |
| Dual Louvered Trim Kit                         | PN # TRIMKITEZ2               |
| Certifications                                 |                               |
| Sabbath Mode (Star-K® Certified)               | Yes                           |
| Specifications                                 |                               |
| Total Capacity (Cu. Ft.)                       | 18.6                          |
| Shelf Area (Sq. Ft.)                           | 20.9                          |
| Annual Energy (kWH)                            | 593                           |
| Annual Energy Cost (.12/kWH)                   | \$71                          |
| Power Supply Connection Location               | Right Bottom Rear             |
| Water Inlet Location                           | Left Bottom Rear              |
| Voltage Rating                                 | 115V / 60Hz / 20A             |
| Connected Load (kW rating) @ 115 Volts¹        | 0.55                          |
| Amps @ 115 Volts                               | 5                             |
| Minimum Circuit Required (Amps)                | 20                            |
| Shipping Weight (Approx.)                      | 245 Lbs.                      |

¹An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.

### Optional Trim Kits


Kits include top and side trim pieces, louvered grille, reversible kickplate and leveling system to fit 75" or 79" opening height.

#### Single 79" Louvered or 75" Collar Trim Kit PN# TRIMKITEZ1

#### Dual 79" Louvered or 75" Collar Trim Kit PN# TRIMKITEZ2

(Includes hardware to secure side-by-side units together.)

Note: Both kits attach directly to cabinetry through top trim piece or louvered grille to stabilize unit(s).



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com).



| Overall Exterior Dimensions |         |
|-----------------------------|---------|
| A - Height (Incl. Hinge)    | 70-5/8" |
| B - Width                   | 32"     |
| C - Depth (Incl. Door)      | 26-1/2" |
| Depth with Door Open 90°    | 57-1/4" |

| Built-In Cutout Dimensions                    |               |
|-----------------------------------------------|---------------|
| Single Unit without Trim Kit -                |               |
| A - Height                                    | 72"           |
| B - Width                                     | 33"           |
| C - Depth                                     | 25-1/4" min.¹ |
| Single Unit with Trim Kit & Leveling System - |               |
| A - Height                                    | 75" or 79"    |
| B - Width                                     | 33"           |
| C - Depth                                     | 25-1/4" min.¹ |

| Built-In Cutout Dimensions                   |               |
|----------------------------------------------|---------------|
| Dual Unit² without Trim Kit -                |               |
| A - Height                                   | 72"           |
| B - Width                                    | 66"           |
| C - Depth                                    | 25-1/4" min.¹ |
| Dual Unit² with Trim Kit & Leveling System - |               |
| A - Height                                   | 75" or 79"    |
| B - Width                                    | 66"           |
| C - Depth                                    | 25-1/4" min.¹ |

¹Minimum depth from face of cabinet side panels and requires recessed electrical outlet.

²Side-by-Side

Accessories information available on the web at [frigidaire.com](http://frigidaire.com)

### FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

FPFU19F8R 01/15

© 2015 Electrolux Home Products, Inc.

Specifications subject to change.