

# ContourLine 30" Convection Oven

H 6580 BP



# ContourLine 30" Convection Oven H 6580 BP





## H 6580 BP

### Features:

- SensorTronic controls: 5-line TFT display with laterally positioned sensor controls that clearly present menu content.
- Self Clean Oven
- 19 Operating Modes
- Rapid PreHeat
- MasterChef menu offers over 100 food types to cook to perfection
- Roast Probe for perfect roasting results
- Favorites - up to 20 recipes
- Sabbath Program
- CleanGlass Door
- Timer
- TwinPower Fans provide optimum and even distribution of hot air
- Soft Open and Soft Close for easier handling
- ComfortSwivel Handle moves with the motion of your wrist, creating a more ergonomic feel when opening and closing the oven door

# ContourLine 30" Convection Oven H 6580 BP



# ContourLine 30" Convection Oven

## H 6580 BP



### SPECIFICATIONS

#### H 6580 BP — Item 22658053USA

|                                                 |                                                                                                                                         |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Overall Unit Width - Excluding Fascia Dimension | 28 <sup>7</sup> / <sub>16</sub> " (722mm)                                                                                               |
| Overall Height - Excluding Fascia Dimension     | 27 <sup>3</sup> / <sub>4</sub> " (705mm)                                                                                                |
| Overall Unit Depth - Excluding Fascia Dimension | 23 <sup>3</sup> / <sub>4</sub> " (603mm)                                                                                                |
| Oven Door Clearance                             | 23" (584mm)                                                                                                                             |
| Overall Oven Interior Capacity                  | 4.63 cu.ft - 131.24 liters                                                                                                              |
| Overall Fascia Dimensions                       | 29 <sup>13</sup> / <sub>16</sub> " (757mm) W x 28 <sup>5</sup> / <sub>8</sub> " (727mm) H<br>x 7 <sup>7</sup> / <sub>8</sub> " (23mm) D |
| Oven Interior Dimensions                        | 24 <sup>1</sup> / <sub>2</sub> " (622mm) W x 16 <sup>5</sup> / <sub>8</sub> " (423mm) H<br>x 18 <sup>1</sup> / <sub>4</sub> " (464mm) D |

#### Built-In

|                                |                                                                                                                                            |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Minimum Cabinet Width          | 28 <sup>1</sup> / <sub>2</sub> " (724mm)                                                                                                   |
| Minimum Cabinet Depth          | 24" (610mm)                                                                                                                                |
| Minimum Cabinet Opening Height | 28 <sup>1</sup> / <sub>4</sub> " (718mm)                                                                                                   |
| Minimum Base Support           | 193 lbs                                                                                                                                    |
| Additional Cut-outs Required   | Venting cut-out required at base of cabinet<br>(4" x 28" / 100 mm x 720 mm) in the bottom<br>of the cabinet for power cord and ventilation |

#### Electrical

|                         |                                                          |
|-------------------------|----------------------------------------------------------|
| Electrical Requirements | 208/240V 30A 60Hz circuit                                |
| Power Cord              | Yes - NEMA 14-30 plug                                    |
| Electrical Rating       | 120/208V, 30A, 60Hz 5800w /<br>120/240V, 30A, 60Hz 4400w |
| Total Amps              | 240V / 24.166A / 208V / 21.15A                           |

#### Shipping

|                     |                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------|
| Shipping Weight     | 216 lbs                                                                                                          |
| Shipping Dimensions | 32 <sup>11</sup> / <sub>16</sub> " W x 35 <sup>1</sup> / <sub>16</sub> " H x 30 <sup>5</sup> / <sub>16</sub> " L |

#### Support


|       |                        |
|-------|------------------------|
| Call  | 800.843.7231           |
| 20/20 | 📞 2020technologies.com |

# ContourLine 30" Convection Oven H 6580 BP




## PRODUCT VIEWS

Isometric



Front




# ContourLine 30" Convection Oven H 6580 BP




## PRODUCT VIEWS

Top View



Rear View




# ContourLine 30" Convection Oven H 6580 BP




## PRODUCT VIEWS

Side View



## INSTALLATION SPECIFICATIONS

Install in Tall Cabinet




- Ⓐ Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation
- Ⓑ Power cord with plug
- \* Oven with glass front
- \*\* Oven with metal front

# ContourLine 30" Convection Oven H 6580 BP



## INSTALLATION SPECIFICATIONS

### Undercounter Installation



Ⓐ Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation

Ⓑ Power cord with plug

\* Oven with glass front

\*\* Oven with metal front